

Table 7

**OBSERVED DISCHARGE AND RUNOFF
COLUMBIA RIVER AT GRAND COULEE, WASHINGTON
(Period of Record: 1929–2001)**

MONTH	MONTHLY MEAN OBSERVED STREAMFLOWS (cfs)						
	MAXIMUM		MINIMUM		WY 2001		1971-2000 AVERAGE
	Discharge	WY	Discharge	WY	Discharge	% of Avg	
Oct	106,700	1998	41,130	1930	71,740	92	78,200
Nov	107,700	1986	28,480	1937	92,500	106	87,260
Dec	141,800	2000	23,200	1937	104,600	102	102,200
Jan	154,900	1996	18,220	1937	96,090	85	112,400
Feb	168,600	1996	18,200	1937	88,050	77	114,000
Mar	185,300	1982	23,840	1937	72,800	66	110,900
Apr	180,800	1969	32,020	1944	60,460	56	108,900
May	315,200	1934	47,900	2001	47,900	36	133,900
Jun	528,700	1948	70,600	1977	78,400	56	140,800
Jul	355,600	1950	50,590	2001	50,590	42	121,200
Aug	183,600	1976	60,490	1989	68,700	66	104,700
Sep	121,700	1976	55,880	1994	62,280	79	79,290
Annual	144,900	1997	70,200	1944	74,410	69	107,800

MONTH	OBSERVED RUNOFF ACCUMULATION (kaf)						
	MAXIMUM		MINIMUM		WY 2001		1971-2000 AVERAGE
	Runoff	WY	Runoff	WY	Runoff	% of Avg	
Oct-Mar	47,990	1996	9,300	1937	31,620	87	36,410
Jan-Jul	75,540	1948	25,590	2001	29,590	58	50,670
Apr-Jul	65,910	1948	14,320	2001	14,320	47	30,550
Apr-Aug	73,980	1948	18,540	2001	18,540	50	36,980
Apr-Sep	78,700	1948	22,250	2001	22,250	53	41,700
Annual	104,900	1997	50,960	1944	53,870	69	78,110